INDEX TO VOLUME 71

New names and new combinations are indicated by **bold face** type.

Abies amabilis 630; *balsamea* 19; *fraseri* 19; *grandis* 630; *nobilis* 19, 630
Aborted asci, Breeding *Neurospora* from 199
Acer macrophyllum 630; *negundo* 54; *rubrum* 28–30, 34, 37, 38; *saccharinum* 54; *saccharum* 54, 69
Achras zapota leaves, Some statistics of 235–245
Acrospermum compressum 613
Actinomyces antibioticus 109, 111; *lavandulae* 111
Actinomycin 111–120
Adiantum capillus-veneris 662; *pedatum* 35
Aerobacter aerogenes 109
Agarics, Interesting studies in North American 390–409
Agaricus abramsii 392; *bivelatoides* 393; *flavitingens* 394; *fumosus* 406; *glaber* 393; *hillii* 393; *hondensis* 393; *kauffmani* 394; *mcmurphyi* 393; *placomyces* 394; *silvaticus* 392, 393; *subrufescentoides* 392, 393; *subrutilescens* 393
Agrostis algida 249, 250
Alga, A new parasitic 655
Allium cepa 620–622
Alnus rubra 628; *rugosa* 33, 39, 40
Ambrosia elatior 35
Amelanchier canadensis 28, 30, 39
American botanical literature, Index to 99, 179, 328, 445, 555, 663
Ammania latifolia 164, 165
Andropogon scoparius 29, 39
Anemone virginiana 35
Another new name in *Vaccinium* 179
Antibiotic substances, Bacteriostatic and bactericidal properties of 107
APPEL, ANITA and B. O. DODGE, Breeding *Neurospora* from aborted asci 199
Aralia spinosa 29
Arisaema triphyllum 35
Aronia melanocarpa 30, 33
Aruncus dioicus 35
Asclepias tuberosa 36, 39
Ascyrum hypericoides 36
Aspergillus clavatus 111; *flavus* 109, 111; *fumigatus*, 109, 111; *niger* 258, 259, 264–266
Asplenium fontanum 662; *montanum* 31; *platyneuron* 29, 31, 35; *ruta-muraria* 662; *septentrionale* 662; *trichomanes* 662; *varians* 662; *viride* 662
Athyrium asplenioides 31, 35; *filix-femina* 662; var. *retusa* 662; *rupicola* 662; *thelypteroides* 36
Aureolaria virginica 39
Auxins, Effect of on decapitated sunflower stems 549
Avena seedlings, Occurrence and distribution of thiamine, riboflavin, and niacin in 438–444; *sativa* 65, 67, 438–444
Azalea nudiflora 28–30, 34, 38, 39

Bacillus cereus 113, 114; *megatherium* 109; *mycoides* 109–111, 113, 114, 119; *subtilis* 109, 111–117, 119
Bacteriostatic and bactericidal properties of antibiotic substances, with special reference to plant-pathogenic bacteria 107
BAKER, GLADYS, Heterokaryosis in *Penicillium notatum* 367
Baltistan, Ferns of 660
Baptisia tinctoria 29, 30, 36, 39
Behavior of excised roots of heterotic hybrids and their inbred parents in culture 267
BENSON, LYMAN, A reply to Doctor Polunin 254
Benzene vapor, The cytological effects of 620–622
Benzoin aestivale 36
BERGER, C. A., E. R. WITKUS and B. J. SULLIVAN, The cytological effects of benzene vapor 620
Betula nigra 36
Biosystematy of *Oxycoccus* 426
Blastemanthus gemmiflorus 177; *grandiflorus* 177
Boletus lakei 391
Botanical literature, Index to American 99, 179, 328, 445, 555, 663
Botrychium lunaria 661; *virginianum* 35
Brazilian chytrids—I. Species of *Nowakowskiella* 374
Breeding *Neurospora* from aborted asci 199
Brittonnastrum pallidum 485
Bromus purgans 35
Brucella abortus 109
BUGIE, ELIZABETH, SELMAN A. WAKSMAN and H. CHRISTINE REILLY, Bacteriostatic

and bactericidal properties of antibiotic substances, with special reference to plant-pathogenic bacteria 107
Buried soils, Pollen analysis of 11

Cain, Stanley A., Pollen analysis of some buried soils, Spartanburg County, South Carolina 11
Calliergon pseudostramineum 216, 217
Calocarpum huastecanum 659
Camellia japonica, Structure and development of sclereids in the petiole of, 302–325; *reticulata* 303, 307; *sasangua* 324; *sinensis* 303, 307
Camp, W. H., Another new name in *Vaccinium* 179; A preliminary consideration of the biosystematy of *Oxycoccus* 426
Camp, W. H., George M. Darrow, H. E. Fischer and Haig Dermen, Chromosome numbers in *Vaccinium* and related groups 498
Capparis spinosa 579
Carvalho, Alcides and M. M. Rhoades, The function and structure of the parenchyma sheath plastids of the maize leaf 335
Carya alba 28; *cordiformis* 51; *glabra* 28; *ovata* 54, 70; *pallida* 28
Castanea dentata 28, 30, 34, 39; *pumila* 28
Ceanothus americana 28, 34, 38
Celtis occidentalis 52, 54
Cerato-Lejeunea variabilis var. *subserrata* 637
Ceratolejeunea, Sporelings and vegetative reproduction in 638; Two nomenclatural changes in 637; *brevinervis* 643, 645; *caducifolia* 648, 651–654; *cornuta* 651, 652; *clypeata* 653; *cubensis* 644, 645, 651, 652; *flabelliforme* 637, 642; **flagelliformis** 637, 643, 649, 650; **grandibracteolata** 637, 644, 645; *guianensis* 638, 640, 646, 647, 651–654; *malleigera* 640, 641, 653, 654; *maritima* 644, 645, 649, 650; *megalophysa* 644, 645; *patentissima* 651, 652; *plumula* 641, 642; *rubiginosa* 644, 646; *spinosa* 639, 641, 642, 649, 650; var. *flagelliformis* 637; *subserrata* 637
Ceratonia siliqua 583
Cercis, The genus in China 419; *canadensis* 34, 40, 419; *chinensis* 419–425; *chingii* 419–422, 424; *chuniana* 419–422; *glabra* 423, 424; *japonica* 423; *occidentalis* 419; **pauciflora** 419–422, 425; *racemosa* 419–422, 424; *siliquastrum* 419
Ceterach officinarum 660, 662
Chaetomin 111–120
Chamaecyparis lawsoniana 629
Cheilanthes dalhousiae 662; *persica* 661, 662
Chicoria intubus 573
Chimophila maculata 29, 30, 35, 38, 39
Chin, T. C. and C. S. Chwang, Cytogenetic studies of hybrids with "Makha" wheat 356
Chionanthus virginica 34, 40
Chromosome number, megasporogenesis, and development of embryo-sac of *Clintonia* 529
Chromosome numbers in *Vaccinium* and related groups 498
Chrysomphalus obscurus 600, 602, 617
Chrysopsis graminifolia 39; var. *aspera* 29, 30, 35, 38
Chwang, C. S. and T. C. Chin, Cytogenetic studies of hybrids with "Makha" wheat 356
Cimicifuga racemosa 35, 36, 39
Circaea latifolia 35
Cladochytrium crassum 377; *hyalinum* 377, 387
Clavacin 111–120
Claviceps microcephala 611–613, 615, 616; *purpurea* 611–613, 615, 616
Clintonia, Chromosome number, megasporogenesis, and development of embryo-sac of 529–535; *andrewsiana* 529–535; *borealis* 529–535; *umbellulata* 529–535; *uniflora* 529–535
Clitocybe aggregata 406; *alexandri* 406, 407; *atrialba* 408; *avellaneialba* 407, 408; *brumalis* 401; *clavipes* 408; *decora* 400; *ditopoda* 403; *ectypa* 405; **flavissima** 399, 400; *fumosa* 406; **glutiniceps** 400, 401; **gomphidioides** 401, 402; *griseotomentosa* 407; *harperi* 407; *hypnorum* 405; *incilis* 402; *inornata* 404, 408; *isabella* 405; **michiganensis** 402, 403; *mortuosa* 403; *nebularis* 406, 407; *obsoleta* 401, 405; *opiaria* 402; **piperata** 403, 404; *platyphylla* 400, 406; *sinopicus* 402; *subalutacea* 405; *subinversa* 405; **sublutea** 404, 405; *sulphurea* 400; *vilescens* 403; **virgata** 405
Clostridium welchii 109
Cnidoscolus aconitifolia 468, 470, 471; *acrandrus* 463, 473; *adenophilus* 471, 473; *albomaculata* 472; *angustidens* 472; *appendiculata* 472; *bahianus* 472; *bellator* 464, 473; *calyculatus* 470, 472; *campanulatus* 472; **chayamansa** 466–468, 472; *cnicodendron* 471, 472; *cordifolius* 472; *fragrans* 465, 472; *hamosus* 462,

463, 473; *haslerianus* 473; *herbaceus* 471, 473; *horridus* 473; *hypoleucus* 473; *inermiflorus* 466, 472; *infestus* 473; *kunthianus* 465, 470, 472; *leuconeurus* 473; *loasoides* 473; *lobatus* 464, 473; *loefgrenii* 471, 473; *longipedunculatus* 472; *longipes* 472; *maculatus* 472; *maracayensis* 473; *maregravii* 471, 473; *matosii* 464, 473; *michauxii* 473; *multilobus* 465, 472; *napaefolius* 472; *neglectus* 472; *obtusifolius* 473; *oligandrus* 465, 471, 472; *osteocarpus* 473; *palmatus* 472; *palmeri* 472; *paucistamineus* 472; *peruvianus* 473; *phyllacanthus* 473; *platyandrus* 464, 473; *polyanthus* 472; *pringlei* 472; *pubescens* 472, 473; *quercifolius* 464, 473; *quinquelobatus* 465, 470, 472; *quinquelobus* 473; **rangel** 464, 473; *repandus* 464, 473; **rotundifolius** 466, 470, 472; *serrulatus* 473; *shrevei* 472; **souzae** 468, 473; *stimulosus* 473; *subinteger* 473; *surinamensis* 473; *tenuifolius* 471, 473; **tepiquensis** 466, 472; *tetracyclus* 473; *texanus* 471, 473; *tubulosus* 465, 472; *ulei* 473; *urens* 468, 470, 471, 473; *urnigerus* 470, 473; *vitifolius* 471–473

Coleochaete scutata 507, 508, 510

Coleus atropurpureus 496; *blumei* 497

Collybia badiialba 397, 399; **bakerensis** 395; *collybiiformis* 397; *confluens* 397; *cylindrospora* 397, 398; *distorta* 398; *extuberans* 398, 399; *fusipes* 396, 398, 399; *hariolorum* 397; *lancipes* 396, 398; *laxipes* 398; *maculata* 397; *oregonensis* 397; *prolixa* 397; **subsulcatipes** 396, 397; *xylophila* 395

Comparative structure of green leaves of oriental tobacco at different levels on the stalk in relation to their quality upon curing 512

Comptonia peregrina 28, 30

Cordyceps agariciformia 611, 613, 615, 616; *militaris* 611, 613, 615, 616

Coreopsis major 29, 35, 38

Cornus, Floral anatomy of some species of 276; *alsophila* 277, 281, 282, 289, 292, 294, 295, 298, 299; *alternifolia* 277, 286, 289, 291, 293–295, 298, 300; *amomum* 277, 283, 289, 292, 295, 298, 299; *asperifolia* 288; *brachypoda* 277, 281–283, 288, 291, 292, 294, 295, 298, 299; *canadensis* 277, 281–284, 291–295, 298, 299; *circinata* 289; *controversa* 277, 281–283, 285, 287, 293–295, 298, 299; *drummondi* 277, 283, 287, 288, 291, 292, 294, 295, 298, 299; *florida* 34, 38, 277, 279–283, 291, 292, 294, 295, 298, 299; *glabrata* 277, 283, 288, 289, 291, 292, 294, 295, 298, 299; *macrophylla* 288; *mas* 277, 280–284, 287–289, 291, 292, 295, 298, 299; *oblonga* 277, 286, 287, 291, 292, 298, 299; *paniculata* 288; *racemosa* 277, 281–283, 288, 292, 294, 295, 298, 299; *rugosa* 277, 281, 282, 291–294, 298, 299; *stolonifera* 277, 281–283, 291–294, 298, 299; *stricta* 277, 281–283, 289, 292, 294, 295, 298, 299; *suecica* 277, 281–285, 291–296, 298, 299

Creonectria purpurea 614, 616

Crocus sativus 582

CRONQUIST, ARTHUR, Studies in the Simarubaceae—II. The genus *Simaruba* 226

Cryptogramma brunoniana 662; *stelleri* 662

Cryptospora aucta 371

Cystopteris fragilis 660, 661

Cytisus scoparius 577

Cytogenetic studies of hybrids with "Makha" wheat 356

Cytological effects of benzene vapor 620

DARROW, GEORGE M., W. H. CAMP, H. E. FISCHER and HAIG DERMEN, Chromosome numbers in *Vaccinium* and related groups 498

Datura stramonium 144, 150, 151

DAWSON, ELMER YALE, A new parasitic red alga from Southern California 655

Dennstaedtia punctilobula 36

DERMEN, HAIG, GEORGE M. DARROW, W. H. CAMP and H. E. FISCHER, Chromosome numbers in *Vaccinium* and related groups 498

Deschampsia flexuosa, 30, 36

Dionaea muscipula 596

Dioscorea glauca 31, 35, 39

Diospyros virginiana 28, 31, 34, 38

Discussion of the ochnaceous genus *Fleurydora* A. Chev. and the allied genera of the Luxemburgieae 175

DODGE, B. O. and ANITA APPEL, Breeding *Neurospora* from aborted asci 199

Doodia cordata 96

Drepanocladus aduncus 212–215, 218, 222; var. *capillifolius* 214, 219, 221; var. *kneiffii* 217, 221; var. *typicus* 221; *apiculatus* 218; *badius* 212–215, 218; *brevifolius* 212–215, 218, 219; *exannulatus* 212–216, 218–222; var. *rotae* 214, 222; var. *typicus* 222; *fluitans* 212–222; var. *berggrenii* 214; *intermedius* 225; *kneiffii* 208, 212, 213; *lycopodioides* 212–215, 218–220; *minnesotensis* 218; *revolvens* 212–215, 218–220, 223–225; *scorpioides*

216; *uncinatus* 211–213, 218, 219, 223–225; var. *subulaceus* 212, 225; var. *symmetricus* 216, 220; var. *typicus* 225; *vernicosus* 212–215, 218–220
Drosera in eastern North America 166; *americana* 173; *anglica* 166–173; *brevifolia* 167, 170, 171, 173, 174; β *major* 174; *capillaris* 167, 170, 171, 173, 174; *filiformis* 167, 170, 171, 173; var. *tracyi* 167, 170, 172; var. **typica** 171, 172; *foliosa* 173; *intermedia* 166–171, 173; β *corymbosa* 173; γ *americana* 173; f. *corymbosa* 173; *lincaris* 167, 171–173; *longifolia* 166–170, 172, 174; *minor* 174; *rotundifolia* 166–168, 170–173; var. *capillaris* 174; var. *comosa* 172; *septentrionalis* 172; *tenuifolia* 171; *tracyi* 172
Dryopteris barbigera 661; *blandfordii* 661; *brunoniana* 661; *hexagonoptera* 35; *levingei* 661; *linnaeana* 661; *marginalis* 36; *odontoloma* 661; *ramosa* 661; *trifoliatum* 93–97
DWYER, JOHN D., A discussion of the ochnaceous genus *Fleurydora* A. Chev. and the allied genera of the Luxemburgieae 175

Effect of different concentrations of synthetic auxins on decapitated sunflower stems 549
EGLER, FRANK E., Some statistics of *Achras zapota* leaves, British Honduras 235
Elephantopus tomentosus 36
Elodea canadensis 339
Epichloe bambusae 611–613, 615, 616; *typhina* 613, 615–617
Epigaea repens 28, 30, 34
EPLING, CARL, Supplementary notes on American Labiatae—III 484
Equisetum arvense 661, 662; *diffusum* 661; *ramosissimum* 662
Erigeron racemosus 35
Eriope angustifolia 494; *filifolia* 495; *leucrioides* 495; **trichopes** 495
Erysiphe graminis tritici, Influence of light on the infection of wheat by 134–142
Escherichia coli 109, 111, 115, 119
Eupatorium album 36
Euphorbia corollata 29, 31, 35, 36

Fagraea auriculata 311, 318
Fagus grandifolia 69
FASSETT, NORMAN C., *Juniperus virginiana*, *J. horizontalis* and *J. scopulorum*—I. The specific characters 410; II. Hybrid swarms of *J. virginiana* and *J. scopulorum* 475
Fern prothallia, Peculiar 93–97
Ferns of Gilgit, Baltistan, and Ladak 660
FISCHER, H. E., GEORGE M. DARROW, W. H. CAMP and HAIG DERMEN, Chromosome numbers in *Vaccinium* and related groups 498
Flavicin 111, 112
Fleurydora 175–178
Floral anatomy of some species of *Cornus* 278
FOSTER, ADRIANCE S., Structure and development of sclereids in the petiole of *Camellia japonica* L. 302
Fragaria virginiana 36, 39
Fraxinus americana 34; *biltmoreana* 34; *lanceolata* 52, 54, 65, 67
Frullania asagrayana 653
FULFORD, MARGARET, Sporelings and vegetative reproduction in the genus *Ceratolejeunea* 638; Studies on American Hepaticae—V. Two nomenclatural changes in *Ceratolejeunea* 637
FULLING, EDMUND H., Thomas Jefferson. His interest in plant life as revealed in his writings—I 563
Fumigacin 111–120
Function and structure of the parenchyma sheath plastids of the maize leaf 335
Further pollen studies of peat bogs on the Pacific coasts of Oregon and Washington 627

Galax aphylla 28, 30, 40
Gaultheria shallon 628
Gaylussacia baccata 28, 30, 39
Genus *Cnidoscolus:* generic limits and intrageneric groups 457
Geum virginianum 36
Gilgit, Ferns of 660
Gillenia trifoliata 29, 31, 36
GILLY, CHARLES LOUIS, A new *Monarda* (Labiatae) and a new *Calocarpum* (Sapotaceae) from Mexico 658
Gomphidius oregonensis 391
Goodyera pubescens 31, 36
Gymnocladus dioica 52

Hamamelis virginiana 28, 30, 38, 39
HANSEN, HENRY P., Further pollen studies of peat bogs on the Pacific coast of Oregon and Washington 627
Hedeoma costatum 488; *drummondi* 488
Hedysarum coronarium 586
Heimia salicifolia 165
Helianthus annuus 549–553; *atrorubens* 36
Hepaticae, Studies in American 637

HERVEY, ANNETTE and WILLIAM J. ROBBINS, Response of *Pythiomorpha gonapodyides* to manganese 258
Heterokaryosis in *Penicillium notatum* 367
Heuchera americana 39; *parviflora* var. *typica* 31
Hieracium venosum 29, 31, 35, 38, 39
Houstonia tennifolia 29, 31, 35, 38, 39
Hoya carnosa 318
Hugeria erythrocarpa 433
Hydrangea arborescens 34, 38
Hyocyamus niger 350
Hypnum aduncum 207–209; *badium* 208; *cossoni* 208; *exannulatum* 207, 208; *fluitans* 207–209; *hamifolium* 208; *intermedium* 208; *kneiffii* 208; *lycopodioides* 207, 208; *molendoanum* 208; *paradoxum* 207; *pseudostramineum* 208; *revolvens* 207–209; *riparium* 207; *rotae* 208; *scorpioides* 207, 208; *sendtneri* 208; *stereodon* 207; *uncinatum* 207, 208; *vernicosum* 208
Hypocrea gelatinosa 611–614, 616
Hypomyces aurantiius 614, 616; *ipomoeae* 611, 612; *rosellus* 612, 614; *solani* f. *cucurbitae* 371, 612; *thiryanus* 615
Hypopitys americana 29, 36
Hypoxis hirsuta 29, 36, 39
Hyptis atrorubens 496; *conferta* 496; *dilatata* 496; *intermedia* 496; *lantanaefolia* 496; **microsphaera** 495; *mixta* 495; *pulegioides* 496; *recurvata* 496; *savannarum* 496; *scandens* 495; *sinuata* 496; *uncinata* 496; *vilis* 496

Ilex aquifolium 577; *montana* 28, 30, 36; *opaca* 39
Impatiens biflora 35
Index to American botanical literature 99, 179, 328, 445, 555, 663
Influence of light on the infection of wheat by the powdery mildew *Erysiphe graminis tritici* 134
Inheritance of certain characters in a cross of two American species of *Lactuca* 347
Inocybe geophylla 391, 401
Interesting North American agarics 390
Iris, Relative growth of flower parts of two species of 122; *fulva* 122–133; *hexagona* var. *giganticaerulea* 122–133; *verna* 29, 30, 35
Isnardia alata 160; *alternifolia* 158; β *salicifolia* 158; γ *uniflora* 158; *arcuata* 156; *aurantiaca* 158; *capitata* 159; *cylindrica* 164; *hastata* 164; *hirsuta* 159; var. *permollis* 157; *hirtella* 157; *lanceolata* 159; *lincaris* 163; *linifolia* 162; *microcarpa* 161; *mollis* 159; *palustris* 155; *pedunculosa* 156; *pilosa* 159; *polycarpa* 160; *ramosior* 165; *spathulata* 155; *sphaerocarpa* 160; *stricta* 163; *subhastata* 165; *suffruticosa* 159; *virgata* 157

Jatropha aculeatissima 473; *basiacantha* 472; *curcas* 457–459; *deutziiflora* 472; *diacantha* 472, 473; *gossypifolia* 457–459; *hamosa* 464; *herbacea* 458, 459, 474; *jaenensis* 465, 472; *jurgenseni* 472; *liebmanni* 460, 465, 472; *löfgreni* 461; *manihot* 458; *moluccana* 458; *multifida* 457; *obtusifolia* 463; *octandra* 473; *papaya* 472; *peltata* 464; *peruviana* 472; *phyllacantha* 463, 464; *platyandra* 464; *pyrophora* 465, 470, 472; *quinqueloba* 472; *rangel* 464; *regina* 463, 473; *rotundifolia* 466; *sellowianus* 473; *tenuifolia* 461; *tubulosa* 460, 465; *urens* 458, 459; var. *brachyloba* 471; var. *inermis* 466, 467; var. *marcgravii* 471; var. *neglecta* 471; var. *osteocarpa* 471; *urnigera* 461; *vitifolia* 471, 472
Jefferson, Thomas. His interest in plant life as revealed in his writings—I 563
JONES, CLYDE H., Studies in Ohio floristics—III. Vegetation of Ohio prairies 536
JONES, E. FELTON and FREDERICK A. WOLF, Comparative structure of green leaves of oriental tobacco at different levels on the stalk in relation to their quality upon curing 512
Juglans nigra 34, 39, 40, 52, 54; *paccan* 596
Juniperus virginiana, *J. horizontalis* and *J. scopulorum*—I. The specific characters 410; II. Hybrid swarms of *J. virginiana* and *J. scopulorum* 475; *horizontalis* 410–418, 475; *lucayana* 410; *sabina* 410; *scopulorum* 410–418, 475–483; *silicicola* 410; *standleyi* 484; *virginiana* 36, 410–418, 475–483; var. *crebra* 412; f. *bermerae* 412
Jussiaea brachycarpa 164; *caryophyllea* 152; *decurrens* 164; *erecta* 152; *inclinata* 164; *leptocarpa* var. *angustissima* 164; *linifolia* 152; *nervosa* 164; *peduncularis* 165; *peruviana* 164; *repens* var. *peploides* 164, 165; *suffruticosa* var. *ligustrifolia* 164, 165; *uruguayensis* 164

Kalmia latifolia 27, 28, 30, 32, 34, 37, 38, 39, 42, 45; *polifolia* 628

KARLING, JOHN S., Brazilian chytrids—I. Species of *Nowakowskiella* 374
KAVANAGH, FREDERICK and W. J. ROBBINS, Temperature, thiamine, and growth of *Phycomyces* 1
KELLY, SALLY, Effect of different concentrations of synthetic auxins on decapitated sunflower stems 549

Labiatae, Supplementary notes on American 484
Lactobacillus arabinosus 440; *casei* 439
Lactuca, Inheritance of certain characters in a cross of two American species of 347; *canadensis* 347–355; *graminifolia* 347–355; *sativa* 347
Ladak, Ferns of 660
Ledum columbianum 628
Lejeunea flabelliforme 637
Lepechinia bullata 486; *caulescens* 486; *humilis* 486; *meyeni* 487; *radula* 487; **sagittata** 487; *salviaefolia* 486; *vesiculosa* 487
Leptosira mediciana Borzi 507–511; *obovata* 507, 510
Leucothoe recurva 30, 33, 39, 40
LI, HUI-LIN, Taxonomy and distribution of the genus *Cercis* in China 419
Lilium carolinianum 36
Liriodendron tulipifera 28, 33, 34, 45, 69
Listerella monocytogenes 109
Literature, Index to American botanical 99, 179, 328, 445, 555, 663
Lobelia spicata 36
Lolium perenne 144–151
LONG, ALICE L. and W. GORDON WHALEY, The behavior of excised roots of heterotic hybrids and their inbred parents in culture 267
LOOMIS, W. E. and A. L. MCCOMB, Subclimax prairie 46
Loranthophycus 655; **californicus** 656
Ludwigia, the American species of 152–165; *alata* 154, 160; *alternifolia* 152, 154, 158, 164, 165; var. *linearifolia* 158; var. *pubescens* 159; var. **typica** 158; *angustifolia* 163, 164; β *ramosissima* 158; *arcuata* 153, 156; *aurantiaca* 158; *bertonii* 164; *brachycarpa* 164; *brevipes* 153, 156, 157; *capitata* 159; var. *pubens* 159; *clavellina* var. *grandiflora* 164; var. *peploides* 164; *cubensis* 161; *curtissii* 155, 162; *cylindrica* 164; β *brachycarpa* 164; *diffusa* var. *californica* 164; *foliosa* 164; *glandulosa* 155, 161, 163, 164; var. **torreyi** 164; var. **typica** 164; *hastata* 164; *heterophylla* 164; *hirsuta* 157, 159; *hirta* 164; *hirtella* 154, 157; *hondurensis* 164; *inclinata* 164; *juncea* 164; *jussiaeoides* 152, 153, 164; *lacustris* 153, 156, 157; f. *aquatilis* 156; *lanceolata* 154, 159; *linearis* 155, 163; var. *puberula* 163; var. **typica** 163; *linifolia* 155, 162; *lutea* 164; *macrocarpa* 158; *maritima* 154, 158; *microcarpa* 154, 158; *mollis* 159; *natans* 153, 165; var. *rotundata* 156; var. *stipitata* 156; var. *typica* 156; *oocarpa* 165; *ovalis* 152; *palustris* 152, 153, 155, 156, 165; var. *americana* 155, 165; var. *liebmanni* 165; var. *nana* 155, 165; var. *pacifica* 155; var. **typica** 155; *parviflora* 152; *peduncularis* 165; *pedunculosa* 156; *perennis* 152, 153; *pilosa* 154, 157, 159; *polycarpa* 154, 160; *pruinosa* 165; *ramosissima* 158, 165; *ramulosa* 165; *rudis* 159, 165; *sagraeana* 165; *salicifolia* 158; *scabriuscula* 165; *simpsoni* 154, 161; *simulata* 160; *spathulata* 153, 155; *spathulifolia* 154, 162; *sphaerocarpa* 154, 160, 161; var. *deamii* 161; var. *jungens* 161; var. *macrocarpa* 161; var. *typica* 161; *stricta* 155, 163; *suffruticosa* 154, 159; *swartziana* 165; *tepicana* 165; *tuberosa* 165; **verticillata** 153, 157; virgata 154, 157, 164, 165
Ludwigiantha arcuata 156; *brevipes* 156
Luffa cylindrica 319
LUTTRELL, E. S., The morphology of *Sphaerostilbe aurantiicola* (B. & Br.) Petch 599
Luzula echinata 36
Lycopersicum, Morphology of 77–91; *esculentum* 267–275; *pimpinellifolia* 268
Lycopodium selago 662
Lyonia ligustrina 28, 30, 36
Lysichitum americanum 628

Macrophomina phaseoli 372
Magnolia acuminata 69
Maize, Parenchyma sheath plastids in 335–346
Manganese, Response of *Pythiomorpha gonapodyides* to 258
Manilkara zapotilla 235
Marasmius oreades 398
Marlea begonifolia 296
MCCOMB, A. L. and W. E. LOOMIS, Subclimax prairie 46
MCVAUGH, ROGERS, The genus *Cnidoscolus*: generic limits and intrageneric groups 457

McVeigh, Ilda, Occurrence and distribution of thiamine, riboflavin, and niacin in *Avena* seedlings 438
Michaud, Virginia, Morphology of the rice spikelet 624
Microcera coccophila 599
Minthostachys mollis 486; *setosa* 486; *spicata* 486; *tomentosa* 486
Monarda austromontana 488; *bartlettii* 658; **malloryi** 658; *pringlei* 658
Monstera lennea 311
Morphological observations on the tomato plant 77
Morphology of *Sphaerostilbe aurantiicola* (B. & Br.) Petch 599
Morphology of the rice spikelet 624
Morus rubra 34, 38, 40
Munz, Philip A., Studies in Onagraceae—XIII. The American species of *Ludwigia* 152
Mycena atroalboides 391; *clavicularis* 391; *elegantula* 392; *laevigata* 392
Myers, W. M., The randomness of chromosome distribution at anaphase I in autotriploid *Lolium perenne* L. 144
Myrica gale 628

Nectria auranticola 599; *galligena* 611, 613, 614, 616, 617; *ipomoeae* 611, 614, 616; *ribis* 611, 614, 615, 616
Neurospora, Breeding from aborted asci 199; *crassa* 202; *sitophila* 199; *tetrasperma* 199–206
Niacin 438–444
Nowakowskiella elegans 374, 379, 388; *elongata* 374, 375, 379–381; *endogena* 384, 388; **granulata** 374, 376–378; *profusa* 374, 382, 383; *ramosa* 374, 384–387
Nymphozanthus polysepalus 628
Nyssa sylvatica 27, 28, 30, 34, 37, 38, 39, 44, 45, 69

Occurrence and distribution of thiamine, riboflavin, and niacin in *Avena* seedlings 438
Oenothera fruticosa 36
Ohio prairies, List of species characteristic of 538–547
Onobrychis viciaefolia 578
Oocarpon torulosum 165
Oosting, H. J. and Ruby M. Williams, The vegetation of Pilot Mountain, North Carolina; a community analysis 23
Oryza mutica 591; *sativa* 624–626
Osmunda cinnamomea 29, 30, 35
Oxalis europaea var. *bushii* 36
Oxycoccoides erythrocarpus 433
Oxycoccus, A preliminary consideration of the biosystematy of 426–436; *erythrocarpus* 433; *macrocarpus* 426–436, 503, 505; *microcarpus* 426–436, 503; *ovalifolia* 426, 429, 503, 505; *quadripetalus* 426–436, 503, 505; var. *microphyllus* 426, 431
Oxydendrum arboreum 28, 30, 34, 37–39, 44, 45

Paronychia argyrocoma 31
Parthenium integrifolium 36
Parthenocissus quinquefolia 34, 38, 40, 45
Pazillus griseo-tomentosus 407
Peckiella lateritia 611, 613–615
Peculiar fern prothallia 93
Penicillin 108–119
Penicillium chrysogenum 109; *crustaceum* 370; *luteum* 371; *notatum* 109, 111, 367–372; *vermiculatum* 370
Pezizella lythrae 204
Phoradendron flavescens 29, 36
Phryma leptostachya 35
Phycomyces, Temperature, thiamine, and growth of 1–10; *blakesleeanus* 1, 258, 264, 266
Phytolacca americana 35
Phytomonas campestris 115, 116; *glycinea* 115, 116; *michiganensis* 115, 116; *phaseoli* 115–117; *pruni* 115, 116; *solanacearum* 115, 116; *stewartii* 115, 116; *syringae* 115, 116; *tumefaciens* 115–119
Phytophthora cinnamomae 8–10
Picea abies 65; *sitchensis* 629, 631, 633
Picrasma excelsa 234
Pieris floribunda 30, 33, 37, 40
Pilot Mountain, North Carolina, Vegetation of 23
Pinus banksiana 15, 18, 21, 65; *caribbaea* 15; *contorta* 629, 631, 633; *echinata* 28, 34, 38; *monticola* 630; *ponderosa* 392; *pungens* 28, 30, 37; *rigida* 27, 28, 30, 34, 37–39, 45; *strobus* 36; *virginiana* 28, 34, 37, 38, 45
Plantago lanceolata 36, 39
Platyclinia crozieri 657
Pleuropogon sabinii 248
Pleurotus sulfureoides 400
Poa pratensis 53, 54, 62
Podophyllum peltatum 36
Pollen analysis of some buried soils, Spartanburg County, South Carolina 11
Pollen studies of peat bogs on the Pacific coast of Oregon and Washington 627
Polunin, Nicholas, Supplementary notes on arctic and boreal species in Benson's "North American Ranunculi" 246
Polycodium stamineum 28, 29, 34, 503

Polygonatum biflorum 29, 31, 36
Polymnia canadensis 37; *uvedalia* 37
Polypodium clathratum 662; *irioides* 96; *polypodioides* 36; *virginianum* 29, 31, 36
Polystichum acrostichoides 29, 30, 35, 37, 39; *lachenense* 661; *lonchitis* 661; *prescottianum* 661; *thomsoni* 662
Polystigma rubrum 611, 612, 614
Populus trichocarpa 630
PRATT, ROBERTSON, Influence of light on the infection of wheat by the powdery mildew, *Erysiphe graminis tritici* 134
Preliminary consideration of the biosystematy of *Oxycoccus* 426
Prunus persica 36, 39; *serotina* 34, 40
Pseudomonas citri 107; *destructans* 107; *fluorescens* 109
Pseudotsuga taxifolia 629, 631, 633
Pteridium aquilinum 29, 30, 35, 39, 662
Pteris longifolia 661
Pyrus communis 34
Pythiomorpha gonapodyides 258–266

Quercus alba 17, 28, 34, 37, 38, 45, 54, 69, 70; *bicolor* 17, 70; *borealis* 28, 51, 65, 67, 60; var. *maxima* 30, 34, 37, 38, 39, 45; *coccinea* 28, 38; *ilex* 578; *ilicifolia* 28, 30, 40, 41; *imbricaria* 70; *macrocarpa* 17, 48, 51, 58, 59, 62, 71; *marilandica* 27, 28, 37, 38, 44, 45, 68; *montana* 27, 28, 30, 32, 34, 37–39, 44, 45; *nigra* 600, 617; *palustris* 17, 68; *stellata* 38, 68, 70; *velutina* 28, 34, 38, 45

Randomness of chromosome distribution at anaphase I in autotriploid *Lolium perenne* L. 144
Ranunculus acris 247; *affinis* 247, 248; var. *leiocarpus* 247; *allenii* 248, 256; *aquatilis* var. *capillaceus* 252, 253; var. *eradicatus* 252; *auricomus* 248, 252, 255; var. *glabrata* 248; *chamissonis* 251; *cymbalaria* 252, 255; var. *alpina* 255; *divaricatus* 253; *flammula* var. *filiformis* 251; *glacialis* 252; *gmelini* var. *terrestris* 252; var. *yukonensis* 252; *hyperboreus* 251, 256; var. *turquetilianus* 251, 257; *kamchaticus* 251; *lapponicus* 253; *nivalis* 249, 255; *pallasii* 253; *pedatifidus* 247, 254; *purshii* subsp. *yukonensis* 252; *pygmaeus* 250, 255; var. *petiolulatus* 250; var. *sabinii* 248; *reptans* 251; *sabinii* 248, 249, 254, 255; *sceleratus* 251; var. *multifidus* 252; *subrigidus* 252; *sulphureus* 249, 250; *trichophyllus* 252; var. *eradicatus* 252; var. *typicus* 253; *tridentatus* 255
Red alga, A new parasitic 655
REILLY, H. CHRISTINE, SELMAN A. WAKSMAN and ELIZABETH BUGIE, Bacteriostatic and bactericidal properties of antibiotic substances, with special reference to plant-pathogenic bacteria 107
Relative growth of flower parts of two species of *Iris* 122
Reply to Doctor Polunin 254
Response of *Pythiomorpha gonapodyides* to manganese 258
Rhamnus purshiana 628
Rhexia lincarifolia 158
RHOADES, M. M. and ALCIDES CARVALHO, The function and structure of the parenchyma sheath plastids of the maize leaf 335
Rhododendron catawbiense 28, 30, 32, 37–40, 42; *maximum* 28
Rhus copallina 28, 34, 38; *glabra* 28; *toxicodendron* 34, 38; var. *radicans* 34
Riboflavin 438–444
RILEY, HERBERT PARKES, Relative growth of the flower parts of two species of *Iris* 122
ROBBINS, WILLIAM J. and ANNETTE HERVEY, Response of *Pythiomorpha gonapodyides* to manganese 258
ROBBINS, W. J. and FREDERICK KAVANAGH, Temperature, thiamine, and growth of *Phycomyces* 1
Robinia hispida 28; *pseudo-acacia* 28–30, 33, 34, 37, 39, 45
Rubia tinctorum 583
Rumex obtusifolius 36; *patientia* 341

Sagina decumbens 29, 31
Salix nigra 36
Salmonella aertrycke 109; *schottmülleri* 109
Salvia agnes 489; *amazonas* 490; **areolata** 493; *azurea* subsp. *typica* 491; *calocalicina* 490; **camporum** 489; *capillosa* 491; *cinnebarina* 490; *compacta* 491; *cordata* 491; *corrugata* 489; **cuatrecasana** 494; *davidsoni* 489; *dombeyi* 493; *dugesiana* 490; *elegans* 491; *flaccida* 492; *gracilis* 491; **grandis** 492; *haenkei* 490; *henryi* 488, 489; *kellermanni* 494; *lavanduloides* 489; *leucocephala* 493; *leucochlamys* 489; *longimarginata* 492; *macrophylla* 490; *madrensis* 490; *mendax* 490; *mocinoi* 491; *myriantha* 491; *occidentalis* 489; *oreopola* 489; *palmeri* 493; *pansamalensis* 492; *patens* 490; *pichinchensis* 489; *pinguifolia* 489; *polystachya* 491; *psilophylla* 491; *roemeriana* 489;

rubescens 490; *rupicola* 491; *rutilans* 491; *scandens* 493; *scutellarioides* 490; *sordida* 494; **sparsiflora** 494; *sphaceliodes* 494; *summa* 488, 489; *teresae* 489; *tortuosa* 493; var. *detonsa* 493; *urica* 491; *xalapensis* 492
Sanguinaria canadensis 35
Sanicula canadensis 35
Sarcina lutea 109, 116
Sassafras albidum 28, 30, 34, 38, 39
Satureja boliviana 488; var. *tarijense* 488; *elliptica* 488; *guatemalensis* 488
Saxifraga virginiensis 36
Schollera erythrocarpa 433
Schrankia angustata 36, 39
Sclarea triglomerata 36, 39
Sclereids in the petiole of *Camellia japonica* 302
Scorpidium scorpioides 216
Scutellaria caerulea 487; *cardiophylla* 487; *coccinea* 487; *mociniana* 487; *oricalcea* 487; *ovalifolia* 35; *periloma* 488; *pseudocaerulea* 487; *russellioides* 487; *seleriana* 487; *tessellata* 487
Sericocarpus asteroides 29, 30, 39
Serratia marcescens 109
Sesamum indicum 586
Shigella gallinarum 109
Silene virginica 35
Silphium compositum 29, 36
Simaba obovata 234
Simaruba amara 226–232; var. *opaca* 228, 230; var. **typica** 228, 229; *berteroana* 226–228, 230; *excelsa* 234; *glauca* 226–231; var. **latifolia** 228, 231, 232; var. **typica** 228, 231; *laevis* 226–228, 234; *monophylla* 234; *obovata* 234; *officinalis* 232; *opaca* 230; *tulae* 226, 227, 234; *versicolor* 226, 227, 229, 233; var. *angustifolia* 233; var. *pallida* 229, 233; var. **typica** 229, 233
Simarubaceae, Studies in the 226
Smilacina racemosa 29, 31, 35, 37
Smilax rotundifolia 28–30, 38, 39
SMITH, ALEXANDER H., Interesting North American agarics 390
Some statistics of *Achras zapota* leaves, British Honduras 235
Sphaerostilbe aurantiicola (B. & Br.) Petch, The morphology of 599; *coccophila* 599; *flammea* 599
Spiraea douglasii 628
Sporelings and vegetative reproduction in the genus *Ceratolejeunea* 638
Sporormia leporina 614
Stachys ajugoides 484; *calcicola* 484; *coccinea* 485; *costaricensis* 485; *eriantha* 485; *glecomoides* 484; *guatemalensis* 485; *lanata* 485; *lindenii* 485; *nubilorum* 485; *peruviana* 485; *radicans* 485; *sericea* 484
Staphylococcus aureus 109, 111, 115, 119
STEIL, W. N., *Leptosira mediciana* Borzi 507; Peculiar fern prothallia 93
Steironema intermedium 31, 36, 39
STEWART, RALPH R., The ferns of Gilgit, Baltistan, and Ladak 660
Streptothricin 111–120
Structure and development of sclereids in the petiole of *Camellia japonica* L. 302
Struthiopteris spicant 628
Studies in *Drepanocladus*—I. History, morphology, phylogeny, and variation 207
Studies in Ohio floristics—III. Vegetation of Ohio prairies 536
Studies in Onagraceae—XIII. The American species of *Ludwigia* 152
Studies in the Simarubaceae—II. The genus *Simaruba* 226
Studies on American Hepaticae—V. Two nomenclatural changes in *Ceratolejeunea* 637
Subclimax prairie 46
SULLIVAN, B. J., C. A. BERGER and E. R. WITKUS, The cytological effects of benzene vapor 620
Supplementary notes on American Labiatae—III 484
Supplementary notes on arctic and boreal species in Benson's "North American *Ranunculi*" 246

Taraxacum palustre 36; var. *vulgare* 36
Taxonomy and distribution of the genus *Cercis* in China 419
Tecoma radicans 34, 39, 40
Temperature, thiamine, and growth of *Phycomyces* 1
Tephrosia virginiana 29, 31, 36, 38, 39
Thalictrum revolutum 35
Thea bohea 324; *japonica* 313; *viridis* 324
Thiamine 1–10; 438–444
Thomas Jefferson. His interest in plant life as revealed in his writings—I 563
Thuja plicata 629
Thyronectria denigrata 611, 614–616
Tilia americana 52, 70
Tobacco, oriental, comparative structure of green leaves at different levels on the stalk of 512–528
Tricholoma flavescens 400; *radicatum* 400; *rutilans* 400; *secedifolia* 400; *tenuiceps* 406
Tricholomopsis 400
Trifolium incarnatum 584; *reflexum* 597

Trillium catesbei 35
Tripsacum dactyloides 39
Triticum dicoccoides 357–366; var. *aaronsohni* 357; *dicoccum* 362, 365; *durum* 357–366; var. *leucurum* 357; *macha* 357–366; *spelta* 357–366; *timopheevi* 356; *turgidum* 357–366; *vulgare* 134–142, 357, 358, 362, 365, 366, 385
Tsuga heterophylla 629, 631, 633
Typha angustifolia 385

Ulex europaeus 577, 584
Ulmus americana 51, 52, 54, 58, 59, 62, 71; *fulva* 34, 39, 40
Uvularia perfoliata 35; *sessilifolia* 35

Vaccinium and related groups, Chromosome numbers in 498; *amoenum* 501, 505; *angustifolium* 179, 180, 500, 501, 505; *arctostaphylos* 503, 505; *arkansanum* 180, 500; *ashei* 501, 505; *atrococcum* 180, 500, 501; *australe* 180, 500, 501, 505; *brittonii* 500, 505; *caesariense* 180, 500, 505; *constablaei* 501, 505; *corymbosum* 180, 500, 501; var. *pallidum* 33, 39, 40; *crassifolium* 502, 505; *cuthbertii* 500, 505; *darrowi* 500, 505; *dobbini* 501; *elliottii* 500, 505; *erythrocarpum* 433; *hirsutum* 500; **lamarckii** 180, 500, 501, 505; *margarettae* 500, 505; *myrsinites* 500; *myrtilloides* 500; *occidentale* 503; *ovatum* 502, 505; *oxycoccus* 628; var. *intermedium* 427; var. *ovalifolium* 426, 503; *pallidum* 180, 500, 501, 505; *parvifolium* 502, 505; *pennsylvanicum* 179, 180, 501; *simulatum* 180, 500, 505; *tallapusae* 180, 500, 505; *tenellum* 180, 500, 505; *torreyanum* 180; *uliginosum* 503; f. *genuinum* 503; f. *microphyllum* 503; *vacillans* 27, 34, 37–39, 44, 500, 501, 505; *virgatum* 180, 501, 505; *vitis-idaea* 503
Vegetation of Pilot Mountain, North Carolina: a community analysis 23
Venturia inaequalis 371
Verbascum thapsus 36
Verbesina occidentalis 37
Verticillium alboatrum 371
Viburnum acerifolium 34, 40; *prunifolium* 34, 39, 40
Viola pedata 31
Vitis aestivalis 28, 33, 38, 40, 45; *cordifolia* 28; *vulpina* 576

WAKSMAN, SELMAN A., ELIZABETH BUGIE and H. CHRISTINE REILLY, Bacteriostatic and bactericidal properties of antibiotic substances with special reference to plant-pathogenic bacteria 107
WALKER, RUTH, Chromosome number, megasporogenesis, and development of embryosac of *Clintonia* 529
WENT, F. W., Morphological observations on the tomato plant 77
WHALEY, W. GORDON and ALICE L. LONG, The behavior of excised roots of heterotic hybrids and their inbred parents in culture 267
WHITAKER, THOMAS W., The inheritance of certain characters in a cross of two American species of *Lactuca* 347
WILKINSON, ANTOINETTE MIELE, Floral anatomy of some species of *Cornus* 276
WILLIAMS, RUBY M. and H. J. OOSTING, The vegetation of Pilot Mountain, North Carolina: a community analysis 23
WITKUS, E. R., C. A. BERGER and B. J. SULLIVAN, The cytological effects of benzene vapor 620
WOLF, FREDERICK and E. FELTON JONES, Comparative structure of green leaves of oriental tobacco at different levels on the stalk in relation to their quality upon curing 512
Woodsia obtusa 35
WYNNE, FRANCES E., *Drosera* in eastern North America 166; Studies in *Drepanocladus*—I. History, morphology, phylogeny, and variation 207